

Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 1 of 14

Date of previous issue : 08/01/2017

Section 1. Product and Company Identification

Product Name : PERESEAL ® N Neutral Seal

Silicone Sealant

+65 6558 6388

Chemical Name : Oxime Silicone Sealant

Telephone number for Information:

Emergency Telephone Number:

+65 6558 6388

Supplier/Manufacturer :

PFE Technologies Pte Ltd

Information

9 Gul Street 4 Singapore 629238 **Fax Number:** +65 6558 7310

Contact Person : info@pfe.tech

Email: info@pfe.techWebsite: www.pfe.tech

Section 2. Hazards Identification

Classification of the substance

or mixture

SKIN SENSITIZATION – Category 1

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)

- Category 1

GHS label elements

Hazard pictograms



Signal word : Danger

Hazard statements : May cause an allergic skin reaction

Causes damage to organs through prolonged or repeated exposure

Precautionary statements

General : Not applicable.

Prevention: Wear protective gloves.

Do not breathe dust.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the

workplace.

Response : Get medical attention if you feel unwell.

IF ON SKIN:

Wash with plenty of soap and water



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 2 of 14

Date of previous issue : 08/01/2017

Wash contaminated clothing before reuse.

If skin irritation or rash occurs:

Get medical attention.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Other hazards which do not result in classification

None known.

Section 3. Composition / Information on Ingredients

Substance / mixture : Mixture **Chemical name** : Not available

Hazardous Ingredients	% by weight	CAS number
Distillates (petroleum), hydrotreated middle	10 – 25	64742-46-7
Silica, amorphous, fumed, crystfree	5 – 10	112945-52-5
2-Butanone, 2,2',2"-[O,O',O"-(methylsilylidyne)trioxime]	3 – 5	22984-54-9
Octamethylcyclotetrasiloxane	0.1 - 0.3	556-67-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid Measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention

following exposure or if feeling unwell.

Inhalation : Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 3 of 14

Date of previous issue : 08/01/2017

Skin contact : Wash with plenty of soap and water. Remove contaminated

clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

Ingestion: Wash out mouth with water. Remove dentures if any. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards. **Inhalation** : No known significant effects or critical hazards.

Skin contact: May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Potential acute health effects

Eye contact : No specific data. **Inhalation** : No specific data.

Skin contact : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : Not available.

Protection of first aid

personnel

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid

to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4

Date of issue / Date of revision : 16/10/2017 Page : 4 of 14

Date of previous issue : 08/01/2017

Section 5. Fire-Fighting Measures

Extinguishing Media

Suitable extinguishing media: Use dry chemical, CO2, alcohol-resistant foam or water spray

(fog).

Unsuitable extinguishing

media

Water jet.

Specific hazards arising from

the chemical

No specific fire or explosion hazard.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are

formed due to oxidative degradation.

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken

involving any personal risk or without suitable training. Use water

spray to keep fire-exposed containers cool. Fire water

contaminated with this material must be contained and prevented

from being discharged to any waterway, sewer or drain.

Special protective equipment

for fire-fighters

Fire-fighters should wear appropriate protective equipment and

self-contained breathing apparatus (SCBA) with a full face-piece

operated in positive pressure mode.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water

spray to keep fire-exposed containers cool. Fire water

contaminated with this material must be contained and prevented

from being discharged to any waterway, sewer or drain.

For emergency responders : If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency

personnel".



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 5 of 14

Date of previous issue : 08/01/2017

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if

the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods and material for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste

disposal.

Large spill : Move containers from spill area. Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact

information and section 13 of SDS for waste disposal.

Section 7. Handling and Storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see section 8 of

SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not breathe dust. Do not ingest. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can

be hazardous.

Advice on general occupational :

hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-

ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to

avoid environmental contamination.



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 6 of 14

Date of previous issue : 08/01/2017

Section 8. Exposure Controls / Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Silica, amorphous, fumed, crystfree	Ministry of Interior (1977-07-12)
	Time Weighted Average (TWA) 80 mg/m3

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye / face protection : Safety eyewear complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid

exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately

estimated.

Body protection Personal protective equipment for the body should be selected



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 7 of 14

Date of previous issue : 08/01/2017

based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Respiratory protection: Gas mask for organic gas if MEKO exposure limits are exceeded (3)

ppm 8-hr TWA, recommended workplace exposure guideline). Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working

limits of the selected respirator.

Section 9. Physical and Chemical Properties

Appearance

Physical state : Solid Form : Paste

Colour : Variable in colour

Odour:Faint odour.Odour threshold:Not available.pH:Not available.Melting point:Not applied.

Boiling point : 242- 270 °C (468 - 518 °F) Organic Solvent

Flash point : Not applicable.

Burning time : Not available.
Burning rate : Not available.
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Lower: 1.6% (V)
(flammable) limits : Upper: 10.2% (V)

Vapour pressure : 1 hPa @ 68 °C (154 °F) Organic Solvent

Vapour density : Not available.

Relative density : 1.02 @ 25 °C (77 °F)

Solubility : Not available. **Solubility in water** : Insoluble.

Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature : 211 °C (412 °F) Organic Solvent



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4 Date of issue / Date of revision : 16/10/2017 Page : 8 of 14

Date of previous issue : 08/01/2017

Decomposition temperature Not available. **SADT** Not available.

Dynamic: Not available **Viscosity**

Kinematic: Not available

Other information

No additional information.

Section 10. Stability and Reactivity

Stable under normal conditions. Reactivity

Chemical stability The product is stable.

Possibility of hazardous Under normal conditions of storage and use, hazardous reactions

reactions will not occur. **Conditions to avoid** No specific data. **Incompatible materials** No specific data.

Reacts with water/moisture liberating Methylethylketoxime (MEKO) **Hazardous decomposition** products

= 2-Butanone-oxime. Under normal conditions of storage and use,

hazardous decomposition products should not be produced.

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Product / ingredient	Result	Species	Dose	Exposure
name				
Octamethylcyclotetrasiloxane				
	LD50 Oral	Rat	4,800 mg/kg OECD-	-
			Guideline 401 (Acute Oral	
			Toxicity)	
	LC50	Rat	> 12.1 mg/l	4 h
	Inhalation			
	LC50	Rat	36 mg/l OECD Test	4 h
	Inhalation		Guideline 403	
	LD50 Dermal	Rat	> 2,400 mg/kg OECD	-
			Test Guideline 402	

Conclusion / Summary Not available

Irritation / Corrosion

Product / ingredient	Result	Species	Score	Exposure	Observation
name					
Octamethylcyclotetrasiloxane	Skin OECD-Guideline	Rat			-
	404 (Acute Dermal				
	Irritation/Corrosion)				



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 9 of 14

Date of previous issue : 08/01/2017

Remarks:	Non-irritating to the skin				
	eyes OECD-Guideline 405 (Acute Eye Irritation/Corrosion)	Rabbit			-
Remarks:	Non-irritating to the ey	yes.			

Conclusion / Summary

Skin : Not available Eyes : Not available

Sensitization

Product / ingredient name	Route of exposure	Species	Result
Octamethylcyclotetrasiloxane	-	Guinea pig	Not sensitizing OECD-
			Guideline 406 (Skin
			Sensitisation)

Conclusion / Summary

Skin:Not availableRespiratory:Not available

Mutagenicity

Product / ingredient name	Test	Experiment	Result
Octamethylcyclotetrasiloxane	OECD-Guideline 471	In vitro	Negative
	(Genetic Toxicology:		
	Salmonella		
	typhimurium, Reverse		
	Mutation Assay)		
	Mouse Lymphoma	In vitro	Negative
	Assay (OECD Guidline		
	476)		
	OECD-Guideline 474	In vitro	Negative
	(Genetic Toxicology:		
	Micronucleus Test)		

Conclusion / Summary : Not available

Carcinogenicity

Product / ingredient name	Result	Species	Dose	Exposure
Octamethylcyclotetrasiloxane	Inhalation - OECD 453	Rat - Female	150 mg/kg	24 months
Remarks:	NOAEC			
	Inhalation - OECD 453	Rat - Male	> 700 mg/kg	24 months
Remarks:	NOAEC	•	•	<u>.</u>

Conclusion / Summary : Not available



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4 Date of issue / Date of revision : 16/10/2017 : 10 of 14 Page

Date of previous issue : 08/01/2017

Reproductive toxicity

Product / ingredient	Maternal	Fertility	Developm-	Species	Dose	Exposure
name	toxicity		ent toxin			
Octamethylcyclotetrasiloxane	-	-	-	Rat	Inhalation:	-
					300 mg/kg	
					OECD 416	
Remarks:	NOAEL pare	ents				
	-	-	-	Rat	Inhalation:	-
					300 mg/kg	
					OECD 416	
Remarks:	NOAEL F1	•	•	•	•	

Conclusion / Summary : Not available

Teratogenicity

Product / ingredient name	Result	Species	Dose	Exposure
Octamethylcyclotetrasiloxane	- Inhalation OECD Test Guideline 414	Rabbit	500 mg/kg	18 days
Remarks:	NOAEL			
	- Inhalation OECD Test Guideline 414	Rabbit	300 mg/kg	18 days
Remarks:	NOAEL maternity	,		

Conclusion / Summary : Not available

Specific target organ toxicity (single exposure)

Not available

Specific target organ toxicity (repeated exposure)

Product / ingredient name	Category	Route of exposure	Target organs
2-Butanone, 2,2',2"-[O,O',O"- (methylsilylidyne)trioxime]	Category 2		cardiovascular system
Distillates (petroleum), hydrotreated middle	Category 1		skin lungs

Aspiration hazard

Product / ingredient name	Result
Distillates (petroleum), hydrotreated middle	ASPIRATION HAZARD - Category 1

Information on the likely : Not available. routes of exposure



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 11 of 14

Date of previous issue : 08/01/2017

Potential acute health effects

Eye contact : No known significant effects or critical hazards. **Inhalation** : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data **Inhalation** : No specific data

Skin contact : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available. **Potential delayed effects** : Not available.

Long term exposure

Potential immediate effects : Not available. **Potential delayed effects** : Not available.

Potential chronic health effects

Product / ingredient	Result	Species	Dose	Exposure
name				
Octamethylcyclotetrasiloxane	NOAEC	Rat	150 mg/kg OECD 453	24 months
	Inhalation			
Remarks:	NOAEC			
	NOAEL Dermal	Rabbit	> 1 mg/kg OECD 410	3 weeks
Remarks:	NOAEL			

Conclusion / Summary : Not available.

General : Causes damage to organs through prolonged or repeated

exposure: Once sensitized, a severe allergic reaction may occur

when subsequently exposed to very low levels.

Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Development effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

<u>Acute toxicity estimates</u> : Not available



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4

Date of issue / Date of revision : 16/10/2017 Page : 12 of 14

Date of previous issue : 08/01/2017

Other information

This product will liberate methyl-ethyl-ketoxime (MEKO) on curing, contact with water or moisture in the air.

The toxicity of pure MEKO is characterized by:

Mild skin irritation, severe eye irritation, and systemic toxicity after inhalation or long term exposure. The acute inhalation 4-hr LC50 was > 4.8 mg/L.

Long-term inhalation studies (>28 days) with 2-butanone-oxime in male rats and mice showed at concentrations of 10 ppm and higher atrophy of the mucous membrane of the nose in rats and mice. This effect is most probably due to the irritating potential of 2-butanone-oxime.

Central nervous system effects (motor function, narcotic), which were reversible, when exposure is terminated, were observed at high concentrations. Acute exposure to 400 ppm in air caused effects on blood chemistry (methemoglobinemia).

MEKO has been shown to elicit skin sensitization in Guinea pigs, but no sensitization has been reported in humans.

After life long inhalation exposure to the maximum concentration of 375 ppm liver carcinomas were observed in male rats and mice. In male rats exposed to concentrations of 75 ppm benign liver tumors were observed. The lowest test concentration of 15 ppm caused no tumors.

The relevance of these tumors to humans is unknown.

Section 12. Ecological Information

Toxicity

Conclusion / Summary : Not available

Persistence / degradability

Product / ingredient name	Test	Result	Dose	Inoculum
Octamethylcyclotetrasiloxane	310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	3.7 % - 29 d		Activated sludge
Remarks:	Not readily biodegradable.			

Conclusion / Summary : Not available

Bioaccumulative potential

Product / ingredient name	LogPow	BCF	Potential
Octamethylcyclotetrasiloxane		12.40	low

Mobility in soil

Soil / water partition : Not available.



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 13 of 14

Date of previous issue : 08/01/2017

coefficient (KOC)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal Considerations

Disposal Methods : The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. See Section 8 for

information on appropriate personal protective equipment.

Section 14. Transport Information

Special precautions for user: This product is not regarded as dangerous goods according to the

ICAO/IATA, ADR/RID, ADNR and IMDG regulations on the

transport of dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

Section 15. Regulatory Information

Ingredient name Type Authority Conditions

Harmful Chemicals List I : Not listed Harmful Chemicals List II : Not listed

Safety, health and environmental: No known specific national and/or regional regulations regulations specific for the product applicable to this product (including its ingredients).

International regulations

International lists: **Australia inventory (AICS)** All components are listed or exempted.

Canada inventory Not determined.

Japan inventory All components are listed or exempted.

China inventory (IECSC) All components are listed or exempted.

New Zealand Inventory (NZIoC) All components are listed or exempted. **Philippines inventory (PICCS)** All components are listed or exempted.



Chemical Name : PERESEAL ® N Neutral Seal Version : 1.4
Date of issue / Date of revision : 16/10/2017 Page : 14 of 14

Date of previous issue : 08/01/2017

United States inventory (TSCA 8b) Q (quantity restricted) **Korea inventory** All components are listed or exempted.

Taiwan inventory (CSNN) All components are listed or exempted.

Section 16. Other Information

History

Date of printing: 20/10/2017Date of issue / Date of revision: 20/10/2017Date of previous issue: 15/01/2014

Version : 1.3

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling

of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of

Dangerous Goods by Rail UN = United Nations

References : Not available

Notice to reader

Unless otherwise specified in section 1, PFE Technologies Pte Ltd products are intended for industrial application only. They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by PFE Technologies Pte Ltd.