



PROFESSIONAL CONSTRUCTION & INDUSTRIAL PRODUCTS

ULTRA REPAIR ADHESIVE

HYBRID POLYMER, SUPER STRONG ADHESIVE FOR CHALLENGING GLUE JOBS



Transparent, super strong adhesive for quick and challenging bonding jobs. With its extreme adhesive strength and ease of application, Soudal Ultra is perfect for all types of repair and adhesive applications around the house, factory, and beyond.

PROPERTIES

- Based on Soudal's SMX Hybrid Polymer Technology
- Extremely high adhesive strength - construction grade
- Fast strength build-up - can be stressed after 1.5 hours.
- Superb adhesion to most construction and household materials
- Does not stick on skin immediately like cyanoacrylate adhesives (super glues)
- Has filling capacity to fill and bond uneven surfaces
- Waterproof before and after curing; can be used on wet / humid surfaces
- Paintable
- Solvent-free and odourless
- Low VOC; Indoor emission level A+ (Very Low Risk)
- Suitable for exterior use; highly durable and resistant

APPLICATION

- All common bonding applications, for both interior and exterior
- Bonding of materials such as rubber, leather, artificial leather, cork, plastics
- Bonding of common construction materials such as wood, stone, brick, tiles, concrete, metals, mirrors
- Bonding of transparent materials such as glass and plastics
- Bonding of porcelain, pottery, gemstones
- Repairing of shoes, bags, wood, metal
- Bonding in hobby applications

STORING OPENED TUBES

- Soudal Ultra Adhesive has been tested in Singapore to last more than 1 month (around 2 months) after opening.
- After using, screw cap on tightly and store in a cool, dry place.
- To extend life, unscrew cap every 2 weeks and extrude and discard material from nozzle to prevent it from hardening and jamming tube.

VERY STRONG BOND

EASY TO USE & APPLY

CONSTRUCTION GRADE

PACKAGING

20 ml cartridges, 20 cartridges / carton

COLOUR

Transparent



EXPERTS IN SEALANTS, FOAMS, AND ADHESIVES

Soudal N.V.
Everdongenlaan 18-20,
B-2300 Turnhout, Belgium
www.soudal.com | www.soudal.com.sg



Distributed by:

PFE TECHNOLOGIES PTE. LTD.
9 Gul Street 4, Singapore 629238
T: +65 6558 6388 F: +65 6558 7310
sales@pfe.tech | www.pfe.tech